

Fig. 2

sn: Edison

objectclass: top

objectclass:inetOrgPerson

objectclass:inetUser objectClass:nsManagedPerson

uid: tedison

mail: tedison@big.com mail: tom@home.com dept: engineering

Fig. (3)

```
attrSet.add(new LDAPAttribute("objectclass", "inetUser"));
attrSet.add(new LDAPAttribute("objectclass", "nsManagedPerson"));
                                                                                                                                                                                                                               "tedison@big.com"));
                                                                                                                                        attrSet.add(new LDAPAttribute("objectclass", "top"));
attrSet.add(new LDAPAttribute("objectclass", "Person"));
                                                                                                       String dn = "uid=tedison, ou=Employee, o=Big Corp, c=US
                                                                                                                                                                                                                                                  "tom@home.com"));
                                                                                                                                                                                                                                                                   "engineering"));
                                                                                                                          LDAPAttributeSet attrSet = new LDAPAttributeSet();
                                                                                                                                                                                                                "tedison"));
                                                                                                                                                                                                                                                                                        "employee"));
                                                                                                                                                                                                                                                                                                        "Edison"));
                                                                                                                                                                                                                                                                                                                         "Tom");
                                                                                                                                                                                                                                                                                                                                            = new LDAPEntry(dn,attrSet);
                                                                                                                                                                                                                attrSet.add(new LDAPAttribute("uid",
attrSet.add(new LDAPAttribute("mail",
                                                                                                                                                                                                                                                                      LDAPAttribute ("dept"
                                                                                                                                                                                                                                                    attrSet.add(new LDAPAttribute("mail"
                                                                                                                                                                                                                                                                                                                          attrSet.add(new LDAPAttribute("fn",
                                                                                                                                                                                                                                                                                                         LDAPAttribute("sn",
                                                                                                                                                                                                                                                                                        attrSet.add(new LDAPAttribute("ou"
LDApConnection ldc = null;
                                                         ldc = ... < snip>
                                                                                                                                                                                                                                                                          attrSet.add(new
                                                                                                                                                                                                                                                                                                            attrSet.add(new
                                                                                                                                                                                                                                                                                                                                                  LDAPEntry entry
                                                                                                                                                                                                                                                                                                                                                                                  // Now add the entry
                                                                                                                                                                                                                                                                                                                                                                                                       ldc.add(entry);
                                                                                              // Now add the user
                                       // get a conection
                                                                                                                                                                                                                                                                                316
                                                                                                                                                                                                                                                              315
                                                                                                  306
                                                                                                                                      308
                                                                                                                                                      309
                                                                                                                                                                        310
                        302
                                          303
                                                            304
                                                                               305
                                                                                                                    307
                                                                                                                                                                                         311
```




Fig. 5

ঔরমেEDYLER[®] No. 937 811E Engineer's Computation Pad

Fia. 6

```
"tedison@bigcorp.com"));
                                                                                                                                              "tom@home.com"));
                                                                                       "engineering"));
                                                                                                                                                                                                                                                           Organization bigcorp = new Organization (... <snip>);
                                                                                                         , "employee");
               LDAPAttributeSet attrSet = new LDAPAttributeSet();
                               attrSet.add(new LDAPAttribute("uid", "tedison"));
                                                attrSet.add(new LDAPAttribute("fn", "Tom"));
attrSet.add(new LDAPAttribute("sn", "Edison"));
                                                                                                                                                                                                    User newPerson = new User (BasicUser, attrSet);
// Fill out at least the needed information only
                                                                                       attrSet.add(new LDAPAttribute("dept",
                                                                                                          attrSet.add(new LDAPAttribute("type",
                                                                                                                             attrSet.add(new LDAPAttribute("mail",
                                                                                                                                               attrSet.add(new LDAPAttribute("mail"
                                                                                                                                                                                                                                                                                                    add the user to the LDAP database
                                                                                                                                                                                                                                             // instantiate the organization
                                                                                                                                                                                                                                                                                                                        bigcorp.add (newPerson);
                                                                                                                                                                                        // create the user
                                                                                                                                                                        610
                                                                                                                                                                                                                                613
                                                                                                                                                                                                                                                  614
       601
602
603
604
605
605
608
608
                                                                                                                                                                                                             612
                                                                                                                                                                                           611
```




Fig. 7




Fig. 9

<pre><serviceconfig id="SearchObjects" name="BasicUserSearch"></serviceconfig></pre>	<pre> </pre>	<pre><value>objectclass=nsManagedPerson</value> </pre>	<pre><attributevaluepair> <attribute name="attrs"></attribute></attributevaluepair></pre>	<pre></pre> <pre></pre> <pre></pre>	<value>sn</value> 	
801	803 804 805	806	808	809 810	811	813